# Exploring AI Capabilities in Indexing

Swedish LGBTQ+ Fiction

Koraljka Golub, Daniel Ihrmark

NKOS Workshop at TPDL, Tampere, 23 September 2025



## The Role of AI in Library Cataloging

### **Growing Importance of Automation**

- Efforts to automate cataloging have increased over past decades
- AI and Large Language Models (LLMs) like ChatGPT offer new possibilities
- AI-assisted subject indexing is a growing research focus

### **Challenges in Fiction Indexing**

- Traditional cataloging emphasizes genre, time, and place, missing specific themes
- Users seek more detailed indexing, especially for niche topics
- Automated tools could help address these challenges



## LGBTQ+ Fiction & Challenges in Automated Indexing

#### Difficulties in LGBTQ+ Fiction Indexing

- LGBTQ+ themes are often nuanced, requiring in-depth reading
- Existing subject headings are often too broad or outdated
- Older works may not be explicitly labeled as LGBTQ+

### Limitations of AI in Fiction Indexing

- Struggles with connotation, hidden themes, and metaphors
- Potential for bias in training data, leading to inaccurate indexing
- Risk of hallucinations (false but convincing information)
- Lack of transparency in AI decision-making ("black box" issue)



## Research Aim & Questions

### Exploring AI in Automated Indexing

• Investigating four LLM tools' ability to generate subject index terms for LGBTQ+ fiction

#### Key Research Questions

- 1. How effectively can AI tools identify main LGBTQ+ themes in fiction?
- 2. How effectively can AI tools identify minor LGBTQ+ hemes in fiction?

#### Evaluation Method

• Comparing AI-generated index terms with those assigned by professional catalogers in the Queerlit database



## The Queerlit Database

#### Scope of Queerlit

- LGBTQ+ fiction in Swedish and minority languages
- 2420 catalog records (January 2025)

#### Indexing Languages

- QLIT thesaurus (900+ LGBTQ+ terms, adapted from Homosaurus)
- Also employs Swedish controlled vocabularies (SAO, Barnämnesordslistan, SAOGF, Barngf)







## **Queerlit Indexing Policy**

#### Indexing Practices

- Main subjects:  $\geq 20\%$  of the work's content
- Minor subjects for LGBTQ+ themes
- Uses the most specific subject term available for precise retrieval

### Quality Control

- Four librarians collaborate for consistency.
- Scope notes ensure uniform term usage.









## Study Sample & Selection

#### Dataset

- 78 metadata records & full-text works from Queerlit
- Freely available on Litteraturbanken (full-text literary fiction database)

#### AI Tools

- ChatGPT (GPT-4 o)
- Claude (Sonnet 4)
- DeepSeek (Chat model)
- Gemini (1.5-flash)



#### Start Stream lit App Load API keys /Missing Load QueerLit vocabulary (TTL) Show vocab status/preview Select test mode + include\_mode + params Custom Prompt\QueerLit Task Enter user prompt Upload.txt files Files present Info: upload a file Parse selected file → MARC + Text + existing terms Call 4 models with retry Show previews and terms Render model responses Build prompts per model Run button? For each file: process\_single\_file(file, Show prompt previews + token estimates Run button's Show error; add empty record; continue Extract terms & compute metrics per model process\_single\_file(selected\_file, Append compact record to batch\_records how summary table + downloads Render per-file responses Render per-model respons

## Platform: Streamlit Dashboard

- Two modes: Prompt testing and Classification task
- Prompt testing sends the prompt directly via the API
- Classification task facilitates the indexing process
- Zero-shot classification performed based on Queerlit vocabulary
- Indexing can be done in batch or for single files
- Precision, Recall and F1 are calculated based on model responses with MARC record as ground truth







## **Al Indexing Process**

#### Source documents


- Full text .txt file for each work preceded with MARC record
- QueerlitVocabulary with913 terms

#### Streamlit Dashboard

- Different token cut off (ChatGPT cca 5000)
- Temperature setting: 0.7

## **Linnæus University**

## 



🕰 DeepSeek 🗴

▼ Gemini ×

ChatGPT (...

**⊕Claude** ×

# Al Prompting

# Full text

"You are a subject indexer specializing in LGBTQI+ literature analysis. Your task is to analyze the provided literary work and suggest relevant subject

*Please analyze ONLY the literary text provided and:* 

terms from the QueerLit controlled vocabulary.

1. Identify specific LGBTQI+ themes, characters, relationships, or content in the text

that would apply (use exact terms from the

3. Provide brief justification for each suggested term based on textual evidence

4. If no exact vocabulary match exists, suggest the

+ Queerlit terms

+ Full text

might be needed

closest appropriate terms or describe what terms

Base your analysis solely on the provided text, not on external knowledge about the author or work.

vocabulary when possible)

2. Suggest appropriate QueerLit vocabulary terms

2. Suggest appropriate QueerLit vocabulary terms that would apply (use exact terms from the

and:

vocabulary when possible) 3. Provide brief justification for each suggested term based on textual evidence

4. If no exact vocabulary match exists, suggest the closest appropriate terms or describe what terms

might be needed Base your analysis solely on the provided text, not

Metadata

"You are a subject indexer specializing in LGBTQI+

provided literary work and suggest relevant subject

Please analyze ONLY the MARC metadata provided

1. Identify specific LGBTQI+ themes, characters,

relationships, or content in the text

literature analysis. Your task is to analyze the

terms from the QueerLit controlled vocabulary.

on external knowledge about the author or work."

+ Queerlit terms

+ Metadata

## Findings: Major Terms (16 works)

## Metadata

| Model              | Precision | Recall | F1   | Terms_Found | Correct |
|--------------------|-----------|--------|------|-------------|---------|
| claude             | 0.25      | 0.94   | 0.39 | 156         | 39      |
| chatgpt            | 0.39      | 0.80   | 0.49 | 97          | 36      |
| deepseek           | 0.22      | 0.89   | 0.35 | 156         | 36      |
| gemini             | 0.37      | 0.94   | 0.50 | 110         | 39      |
| all models average | 0.31      | 0.89   | 0.43 | 129.75      | 37.5    |

### Full text

| Model              | Precision | Recall | F1   | Terms_Found | Correct |
|--------------------|-----------|--------|------|-------------|---------|
| claude             | 0.09      | 0.45   | 0.14 | 178         | 18      |
| chatgpt            | 0.06      | 0.27   | 0.09 | 125         | 8       |
| deepseek           | 0.09      | 0.42   | 0.14 | 178         | 15      |
| gemini             | 0.07      | 0.30   | 0.11 | 113         | 9       |
| all models average | 0.08      | 0.36   | 0.12 | 148.5       | 12.5    |



## Findings: Minor Terms (50 works)

## Metadata

| Model              | Precision | Recall | F1   | Terms_Found | Correct |
|--------------------|-----------|--------|------|-------------|---------|
| claude             | 0.23      | 0.95   | 0.36 | 443         | 93      |
| chatgpt            | 0.33      | 0.97   | 0.46 | 307         | 94      |
| deepseek           | 0.20      | 0.97   | 0.32 | 488         | 94      |
| gemini             | 0.33      | 0.97   | 0.46 | 328         | 93      |
| all models average | 0.27      | 0.97   | 0.40 | 391.5       | 93.5    |

### Full text

| Model              | Precision | Recall | F1   | Terms_Found | Correct |
|--------------------|-----------|--------|------|-------------|---------|
| claude             | 0.02      | 0.13   | 0.03 | 590         | 15      |
| chatgpt            | 0.02      | 0.09   | 0.03 | 334         | 7       |
| deepseek           | 0.02      | 0.13   | 0.03 | 558         | 13      |
| gemini             | 0.00      | 0.02   | 0.01 | 218         | 2       |
| all models average | 0.02      | 0.09   | 0.03 | 425         | 9.25    |



## Findings: Major and Minor Terms (12 works)

### Metadata

| Model              | Precision | Recall | F1   | Terms_Found | Correct |
|--------------------|-----------|--------|------|-------------|---------|
| claude             | 0.34      | 0.72   | 0.45 | 142         | 50      |
| chatgpt            | 0.46      | 0.72   | 0.54 | 107         | 48      |
| deepseek           | 0.29      | 0.70   | 0.40 | 166         | 48      |
| gemini             | 0.41      | 0.73   | 0.51 | 118         | 47      |
| all models average | 0.37      | 0.72   | 0.48 | 133.25      | 48.25   |

### Full text

| Model              | Precision | Recall | F1   | Terms_Found | Correct |
|--------------------|-----------|--------|------|-------------|---------|
| claude             | 0.08      | 0.21   | 0.11 | 185         | 14      |
| chatgpt            | 0.03      | 0.07   | 0.04 | 99          | 4       |
| deepseek           | 0.04      | 0.10   | 0.06 | 178         | 8       |
| gemini             | 0.04      | 0.06   | 0.04 | 80          | 4       |
| all models average | 0.05      | 0.11   | 0.06 | 135.5       | 7.5     |



## **Overall Findings**

- AI-generated index terms are largely unhelpful
  - F1 up to 54% when given solutions
  - F1 up to 14% when full text

- No winner as all four tools underperforming, although variations across the data sets
- Lacks contextual awareness of LGBTQ+ nuances
- Generates incorrect, irrelevant or overly broad index terms



### Future Research & Recommendations

### • Challenges in AI Training

- Older LGBTQ+ themes may be too implicit for AI to detect
- Copyright restrictions limit AI training on newer LGBTQ+ fiction

### Expert Evaluation

- Entire metadata set
- Involve subject librarians to assess AI-generated terms
- Evaluate for general subject headings, too

### Need for Critical AI Adoption:

• AI is often overhyped—users should critically assess its limitations & biases





Lnu.se